



# ACCESSORIES FOR RALLY FAMILY



## RALLY MIC POD

Expand audio coverage with modular, beamforming microphones with RightSound™ technology for clear, natural, conversational sound.

Auto levels voices, suppresses background noise, and dampens vibration for clear audio

Convenient mute control and indicator light

Available in graphite or white

### General Specifications

Frequency response:  
90Hz – 16kHz

Sensitivity: >-27dB +/-1dB @ 1Pa

Microphone data rate output:  
48 kHz

Pickup range: 15 ft / 4.5m

Beamforming elements:  
Four omnidirectional microphones forming eight acoustic beams

Audio processing:  
AEC (Acoustic Echo Cancellation), VAD (Voice Activity Detector)

Noise suppression: AI filter

Mute Control:  
Touch-sensitive mute control with color-coded LED indicator

### Interfaces & Cables

Output: 9.6 ft (2.95m) 12-pin captive cable

Input: 12-pin interface to daisy-chain Mic Pods or connect to Rally Mic Pod Hub

### Certifications

Rally Mic Pod, White:  
Plenum Rated, Eca/  
IEC 60332-1-2 Compliant

Rally Mic Pod, Graphite: N/A

### System Requirements

Rally: Up to 7 Mic Pods  
(one Rally Mic Pod included with system)

Rally Plus: Up to 7 Mic Pods  
(two Rally Mic Pods included with system)

Rally Bar: Up to 3 Mic Pods  
(complements the built-in microphone array)

Rally Bar Mini: Up to 2 Mic Pods  
(complements the built-in microphone array)

Note: Rally Mic Pods are not compatible with the standalone USB Rally Camera.

### Product Dimensions

Height: 0.83 in (21 mm)

Width: 4.01 in (102 mm)

Depth: 4.01 in (102 mm)

### Package Contents

Rally Mic Pod

Documentation

### Part Numbers

Graphite: 989-000430

White: 952-000038



## RALLY MIC POD MOUNT

Rally Mic Pod Mount secures connections and hides cables to give meeting rooms a professional look.

Hide cables and anchor mics on the table or ceiling

Adjusts to fit most tables

Available in graphite or white

### General Specifications

Compatible Devices: Rally Mic Pod

Table Thickness: 0.75 - 2.0in (20 - 50mm)

Grommet Hole Diameter: 1.0 - 2.5in (25 - 65mm)

### Product Dimensions

Height: 3.54 in / 90mm

Width: 5.75 in / 146mm

Depth: 5.75 in / 146mm

### Package Contents

Mic Pod Mount Cup

Threaded Rod

Nut

Cable Spool

Mounting Plate

Screws

Documentation


### Part Numbers

Graphite: 952-000002

White: 952-000020

# ACCESSORIES FOR RALLY FAMILY

---



## MIC POD PENDANT MOUNT

Ceiling pendant mount for Rally Mic Pod microphones.

Mic Pod Pendant Mount allows you to hang Rally Mic Pods in rooms that have tall ceilings and tables that can't have mics attached or that have unique setups. Hanging mics from the ceiling helps ensure everyone can be heard equally, even in your largest spaces.

### Dimensions: Ceiling Mount

Height: 80 mm

Width: 82 mm

### Dimensions: Mic Holder

Height: 56 mm

Width: 145 mm

### Package Contents

Ceiling Mount

Mic Holder

Mounting Hardware

Quick Start Guide

### Color

White

### Part Number

952-000123

### Warranty

2-Year Limited Hardware Warranty

## RALLY MIC POD HUB

Connect up to three Rally Mic Pods for hub-and-spoke layouts for flexible placement and efficient cable routing.

Customize for most any meeting table configuration

Reduces cross-table cabling

Connects both mic pods and additional hubs

### General Specifications

Three 12-pin connections for any combination of Rally Mic Pods or additional Rally Mic Pod Hubs

Under-table mounting hardware

Captive 9.6ft (2.95m) 12-pin cable

### System Requirements

Rally or Rally Plus

Rally Bar or Rally Bar Mini configured with external Rally Mic Pods

### Product Dimensions

Height: 0.63in / 16mm

Width: 4.01in / 102mm

Depth: 4.01in / 102mm

### Package Contents

Mic Pod Hub

Mounting Hardware

Documentation

### Part Number

939-001647

# ACCESSORIES FOR RALLY FAMILY

---



## RALLY MIC POD EXTENSION CABLE

Add 10 meters of additional reach to the cabling of Rally Mic Pod or Rally Mic Pod Hub for larger spaces.

Plenum-rated and Eca certified for commercial installations

Fits within standard 19mm conduit

Connect up to two cables for a total extension of 20 meters

### General Specifications

Extension cable with built-in cable retention clips

Fits standard 19mm conduit

### Certifications

Plenum Rated, Eca/IEC  
60332-1-2 Compliant

### System Requirements

Rally Bar (supports up to 2 cables)

Rally Bar Mini (supports up to 2 cables)

Rally (supports 1 cable)

Rally Plus (supports 1 cable)

### Product Dimensions

Cable Length: 32.80 ft (10 m)

Cable Thickness: 0.16in (4.2 mm)

### Package Contents

Rally Mic Pod Extension Cable

Documentation

### Part Number

952-000047



## RALLY MIC POD CAT COUPLER

To extend the length of the connection for Rally Mic Pods and Mic Pod Hubs to a custom length, connect the Rally Mic Pod CAT Coupler to a standard CAT cable.

### General Specifications

Compatible devices: Rally Mic Pods that are connected to Rally Bar, Rally Bar Mini, Rally, and Rally Plus.

Rally Mic Pod CAT Coupler supports CAT cable lengths up to a maximum of 20m (65.6 ft)

Supports cable types: CAT6 SFTP/SSTP

### Product Dimensions - Reversible Interface

Height: 15mm

Width: 22mm

Depth: 58mm

Cable length 215mm

### Package Contents

Coupler x 2

Patch cable

User documentation

### Part Number

952-000181

# ACCESSORIES FOR RALLY VIDEO BARS



## TV MOUNT FOR VIDEO BARS

Float Rally Bar Mini or Rally Bar above or below a TV or monitor for a sleek installation and minimal footprint.

Flexible and flush mounting depths and thoughtful cable routing

Fits most displays with versatile swing-arm design

Optimizes viewing angle for above-display installations with 10° tilt down adapter

### General Specifications

Swing-arm design

Mount compatible devices above or below the display

Adjustable depth up to 50mm

Adjustable horizontal level +/- 1°

10° video bar tilt down adapter for above-display angle optimization

### Compatibility

Wall or cart-mounted displays up to 98in (247.92 cm) with VESA mounting points

### System Requirements

Rally Bar

Rally Bar Mini

Rally Camera

### Product Dimensions

Swing-arm length (max.):  
2.95 ft / 900mm

### Package Contents

VESA-compatible TV Mount

Mounting Plate for Rally Bar

Mounting Plate for Rally Bar Mini

Fasteners and mounting hardware

### Part Number

952-000041



## WALL MOUNT FOR VIDEO BARS

Mount Rally Bar Mini or Rally Bar on the wall for a finished appearance and minimal footprint.

Works with video bar's built-in cable retention cover for a secure connection

VESA mounting pattern compatible with mobile carts

Optimizes viewing angle for elevated placement with 10° tilt down adapter

### General Specifications

Mounts compatible devices to a wall or mobile cart

Adjustable horizontal level +/- 1°

10° video bar tilt down adapter for high-position angle correction

### Compatibility

Also compatible with mobile carts with a standard VESA mounting pattern

### System Requirements

Rally Bar

Rally Bar Mini

### Product Dimensions

Height: 3.94 in / 100mm

Width: 9.29 in / 236mm

Depth: 3.31 in / 84mm

### Package Contents

Wall Mount

Tilt Down Adapter

Screws

Documentation

### Part Number

952-000044

# ACCESSORIES FOR RALLY SYSTEM (RALLY AND RALLY PLUS)



## RALLY MOUNTING KIT

For the modular Rally system, includes mounts for the camera, speakers, and hubs for a neat appearance and secure, unobtrusive cabling.

Sturdy camera mount inverts 180° to support near-ceiling installation

Float speakers on the wall with two low profile brackets

Includes ventilated mounts and cable retention brackets for Table and Display hubs

Available in graphite or white

## General Specifications

Mounts for the Rally system's camera, speakers, and hubs

Invertible camera bracket for near-ceiling installation

Low-profile speaker brackets for a floating appearance

Ventilated hub mounts with cable retainers

## Compatibility

Logitech Rally or Logitech Rally Plus

Note: Rally Mounting Kit is designed for Logitech Rally systems only. Rally Mic Pod Mount available separately.

## Package Contents

Camera Bracket (1)

Speaker Brackets (2)

Table Hub Mount

Display Hub Mount

Hub Mount Cable Retainers (2)

Fasteners

Documentation

## Part Number

939-001644



## RALLY SPEAKER

Add a second speaker to Rally systems originally configured with a single speaker.

Broadens the soundstage for room-filling sound at comfortable volume levels

Receives both signal and power from the Rally Display Hub

Pleasing symmetrical appearance

## General Specifications

High-performance 76 mm driver with rare-earth magnet

Patent-pending suspension system eliminates vibration-induced camera shake and audio interference

Mini XLR cable (9.6 ft / 2.95m) connects to Rally Display Hub for both signal and power

Compatible with customer-supplied Mini XLR extension cables up to 9.8 ft (3m)

Speaker volume:  
95 dB SPL @1 W, 100 dB SPL @7.5 W, both +/- 2 dB at ½ meter

Distortion:  
200 Hz-300 Hz < 2.5%, 300 Hz-10 kHz < 1% @7.5 W

Speaker sampling rate: 48 kHz

## System Requirements

Logitech Rally system with one speaker

Maximum speakers per system: 2

Note: Not compatible with Rally Bar, Rally Bar Mini, or the standalone USB Rally Camera.

## Product Dimensions

Height: 4.05 in / 103mm

Width: 17.67 in / 449mm

Depth: 3.15 in / 80mm

## Package Contents

Rally Speaker with captive 9.6 ft (2.95m) Mini XLR cable

Documentation

## Part Number

960-001230

# ACCESSORY COMPATIBILITY



| Product Name                  | RALLY BAR MINI | RALLY BAR | RALLY                   | RALLY PLUS              | RALLY CAMERA        |
|-------------------------------|----------------|-----------|-------------------------|-------------------------|---------------------|
| Rally Mic Pod                 | Up to 2*       | Up to 3*  | Up to 7<br>(1 included) | Up to 7<br>(2 included) |                     |
| Rally Mic Pod Mount           | ✓*             | ✓*        | ✓                       | ✓                       |                     |
| Mic Pod Pendant Mount         | ✓*             | ✓*        | ✓                       | ✓                       |                     |
| Rally Mic Pod Hub             | ✓*             | ✓*        | ✓                       | ✓                       |                     |
| Rally Mic Pod Extension Cable | ✓*             | ✓*        | ✓                       | ✓                       |                     |
| Rally Mounting Kit            |                |           | ✓                       | ✓                       | Wall mount included |
| TV Mount for Video Bars       | ✓              | ✓         |                         |                         | ✓                   |
| Wall Mount for Video Bars     | ✓              | ✓         |                         |                         | Wall mount included |
| Swytch                        | ✓              | ✓         | ✓                       | ✓                       | ✓                   |

\*When the built-in microphone array is extended with external Rally Mic Pods

## WARRANTY

2-year limited hardware on all Rally Accessories

## DEVICE MANAGEMENT

Logitech Sync supports device management for Rally Mic Pod, Rally Mic Pod Hub, and Rally Speaker accessories

## PRODUCT INFORMATION

Rally Mic Pod:  
[www.logitech.com/mic-pod-for-rally](http://www.logitech.com/mic-pod-for-rally)

Mic Pod Mount:  
[www.logitech.com/mic-pod-mount](http://www.logitech.com/mic-pod-mount)

Rally Mic Pod Hub:  
[www.logitech.com/hub-for-rally-mic-pod](http://www.logitech.com/hub-for-rally-mic-pod)

Rally Mic Pod Extension Cable:  
[www.logitech.com/rally-mic-ext-cable](http://www.logitech.com/rally-mic-ext-cable)

TV Mount For Video Bars:  
[www.logitech.com/tv-mount-video-bar](http://www.logitech.com/tv-mount-video-bar)

Wall Mount For Video Bars:  
[www.logitech.com/wall-mount-video-bars](http://www.logitech.com/wall-mount-video-bars)

Rally Mounting Kit:  
[www.logitech.com/rally-mounting-kit](http://www.logitech.com/rally-mounting-kit)

Rally Speaker:  
[www.logitech.com/rally-speaker](http://www.logitech.com/rally-speaker)

Swytch:  
[www.logitech.com/swytch](http://www.logitech.com/swytch)

[www.logitech.com/vc](http://www.logitech.com/vc)

**Americas**  
7700 Gateway Blvd  
Newark, CA 94560 USA

**Logitech Europe S.A.**  
EPFL - Quartier de  
l'Innovation Daniel Borel  
Innovation Center  
CH - 1015 Lausanne

**Logitech Asia Pacific Ltd.**  
Tel: 852-2821-5900  
Fax: 852-2520-2230

© 2022 Logitech. Logitech, the Logitech logo and other Logitech marks are owned by Logitech and may be registered. All other trademarks are the properties of their respective owners. Logitech assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice.